

## GREASE MP 3

Section 1. Identification			
Material name:	GREASE MP 3		
Product Code	0070		
SDS no.	SDS 0070-1		
Relevant identified uses o	f the substance or mixture and uses advised against		
Use of the substance/	Lubricating Industrial and Automative bearings		
mixture	For specific application advice see appropriate Technical Data Sheet or consult		
	our company representative		
Manufacturer	Petromin Corporation		
Supplier	P.O.BOX: 1432, Jeddah 21431		
	Prince Sultan Road, Ayah Mall		
	www.petromin.com		
	Tel: +966 12 60 8300		
	Fax: +966 12 608 2545		
Emergency Telephone	Technical Services Department		
Number	Telephone: +966 12 215 7000		

# Section 2. Hazard(s) identification

Classification of the substance or mixture	Not classified
GHS label elements:	
Hazard Pictograms:	No hazard pictogram is used
Signal word:	No signal word is used
Hazard statement:	Not applicable
Precautionary statement:	
Prevention:	Not applicable
Response:	Not applicable
Storage:	Not applicable
Disposal:	Not applicable
Other hazards which do not result in classification	Not applicable



#### Section 3. Composition and ingredient information

#### Substance/ mixture Mixture

Components	CAS No.	Percent
Hydro treated mineral oil	64742-55-8	75-94
Performance Additives	Mixture	5-24
Lithium hydroxide monohydrate	1310-66-3	≥1.0

#### Section 4. First aid measures

#### **Description of necessary first aid measures**

Eye contact Skin contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure through rinsing. Check and remove any contact lenses. Get medical attention No specific first aid measures are required. As a precaution, remove clothing and shoes if contaminated. To remove the material from skin, use soap and	
Inhalation	water. If inhaled, remove the person to fresh air. Get medical attention if symptoms	
Ingestion	Do not induce vomiting. As a precaution, get medical advice.	
Symptoms caused by exposure Special Treatment	Not available No special treatment	

#### Section 5. Fire-fighting measures

# Extinguishing media Suitable extinguishing media In case of fire, use Foams, dry chemicals, CO2, nylons and powders unsuitable extinguishing media Do not use water Protection Equipment Heat resistant suit and gloves, Self-contained breathing apparatus Special Risks None Special Measures Not required Combustion Products CO2, H2O, CO (in defect of air), nitrogen, sulfur and phosphorus oxides Section 6. Accidental release measure

# Precautions for the<br/>EnvironmentHazard of physical fouling to coasts, soils, etc. due to low solubility and high<br/>viscosity of the oils. Avoid the material entering water intakesClean-up MethodTreat as an accidental oil spill or leak; avoid dispersion of the material with<br/>mechanical barriers. Remove with physical or chemical treatmentPersonal PrecautionsAvoid prolonged contact with contaminated clothes or with the product<br/>Gloves and goggles or face shield



### Section 7. Handling and storage

Precautions for safe handling	
General Precautions	Avoid prolonged contact and inhalation of mists and vapors
Specific conditions	Safety goggles and gloves should be used
Precautions for safe storage	
Storage condition	Containers properly labeled and sealed, placed in cool and
Incompatible materials	Strong oxidants
Dangerous practices	Not available

#### Section 8. Exposure control/ Personal protection

Control parameters:	
Exposure Level	Not available
Inhalation	Low vapor pressures: The product is slightly volatile at room temperature and does not present special risks. In presence of heated oils, wear protective masks to avoid vapor inhalation
Skin	Gloves
Еуе	Safety goggles
Other	Showers and eye-washers in the working area
Specific Hygiene measure	Good work practices to minimize exposure and adoption of good Personal hygien
Exposure Level	TLV (typical base oil) = 0.016 PPM at 20°C (saturated valor Concentration):

TLV (typical base oil) = 0.016 PPM at 20°C (saturated vapor Concentration); TLV/TWA (ACGIH) = 5mg/m3 (oil mist); TLV/STEL (ACGIH) = 10mg/m3 (oil mist)

# Section 9. Physical and chemical properties

#### Information on basic physical and chemical properties

Semi-Solid
Light Brown
Not available
Not available
Not available
Not available
Insoluble (100 PPM max. H <sub>2</sub> O)
Organic solvents
Not available
>185ºC



#### Section 10. Stability and reactivity

Reactivity	Stable under recommended transport storage conditions	
Chemical stability	Stable under normal temperature pressures	
<b>Polymerization Risk</b>	Not available	
Materials to Avoid	Strong oxidants react with oils and organic materials	
Hazardous Decomposition products	Not available	
<b>Condition to Avoid</b>	Exposure to open flames	

#### Section 11. Toxicological information

Routes of Exposure	Contact with skin, eyes and inhalation. Ingestion is not frequent.		
Acute and chronic Effects	No malignant acute effects are known. Chronic effects due to repeated		
	exposures are irritation, dermatitis and acne		
Carcinogenicity	Not available		
<b>Reproductive Toxicity</b>	No evidences		
Medical Conditions which increase Hazard to	Respiratory tract deficiencies and dermatological problems		
Exposure			

# Section 12. Ecological information

Pollutant Potential:	
Persistence and Degradability	the material is oily and viscous and floats on water. It presents a high physical fouling potential, mainly in sea-spills; by contact, destroys small aquatic organisms and makes living difficult for upper organisms, not allowing the sunlight to reach underlying marine ecosystems, affecting its normal development.
Mobility/Bioaccumulative Potential	it does not present bioaccumulative problems in living organisms or incidence in the tropic food chain, although it may cause long-term adverse effects in the aquatic environment, due to its high physical fouling potential

Eco toxicological Effect: Dangerous for aquatic life in high concentrations (spills).

#### Section 13. Disposal consideration

Disposal Methods (surplus) Recycling and recovery of base oils when possible

- Disposal (waste) Only in specific prepared and controlled areas. Avoid releasing oils to sewers because they can destroy water treatment plant Microorganisms. Do not attempt to clean containers since residue is difficult to remove; dispose in a safe way.
- Handling (waste) Labeled and sealed containers. Avoid direct contact with waste oils.



# Section 14. Transport information

-	
<b>Special Precautions</b>	Stable at room temperature and during transport. Store in cool well ventilated
	areas.
UN Number	Not regulated
Road (ADR)/ Rail (RID)	Not regulated
/River (ADNR)	
Airline (IATA-ACAO)	Not regulated
Marine (IMO-IMDG)	Not regulated
	Not regulated
Special precautions for	Not available
user	

Section 15. Regulat	ory information	
Regulation	<b>CERCLA/SARA - Section 302 Extremely Hazardous Substances and TPQs (in pounds)</b> This material does not contain any chemicals subject to the reporting requirements of SARA 302 and 40 CFR 372.	
<b>CERCLA/SARA</b> - Section	Acute Health:	No
311/312 (Title III Hazard	Chronic Health:	No
Categories)	Fire Hazard:	No
	Pressure Hazard:	No
	Reactive Hazard:	No
CERCLA/SARA - Section 313 and 40 CFR 372		not contain any chemicals subject to the reporting RA 313 and 40 CFR 372
EPA (CERCLA) Reportable Quantity (in pounds)	This material does not contain any chemicals with CERCLA Reportable Quantities	
California Proposition 65	This material does not contain any chemicals which are known to the State of California to cause cancer, birth defects or other reproductive harm at concentrations that trigger the warning requirements of California Proposition 65	
Canadian	This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the Regulations. WHMIS Hazard Class: None	
National Chemical Inventories	All components are either listed on the US TSCA Inventory, or are not regulated under TSCA. All components are either on the DSL, or are exempt from DSL listing requirements	
U.S. Export Control Classification Number	EAR99	
Product Name: GREASE MD	· <b>·</b> ·	Varsie



#### Section 16. Other information

**History**:

Date of Issue Revision Version Status: Previous Issue Date	10/29/201 Version 2.0 Final	
Guide to Abbreviations	CAS	Chemical Abstracts Service
	ACGIH	American Conference of Governmental Industrial Hygienists
	CASRN	Chemical Abstracts Service Registry Number
	CEILING	Ceiling Limit (15 minutes)
	CERCLA	The Comprehensive Environmental Response, Compensation, and Liability Act
	EPA	Environmental Protection Agency
	IARC	International Agency for Research on Cancer
	LEL	Lower Explosive Limit
	NE	Not Established
	NFPA	National Fire Protection Association
	NTP	National Toxicology Program
	OSHA	Occupational Safety and Health Administration
	PEL	Permissible Exposure Limit (OSHA)
	SARA	Superfund Amendments and Reauthorization Act
	STEL	Short Term Exposure Limit (15 minutes)
	TLV	Threshold Limit Value (ACGIH)
	TWA	Time Weighted Average (8 hours)
	UEL	Upper Explosive Limit
	WHMIS	Worker Hazardous Materials Information System (Canada)
Disclaimer of Expressed and implied Warranties	This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any	

and implied Warranties

е valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date indicated. However no representation, warranty or guarantee is made as to its accuracy, reliability or completeness.

It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use.