### **ANTIFREEZE 50%**

Section 1. Identification

**ANTIFREEZE 50%** Material name:

5951 **Product Code** SDS 5951-1 SDS no.

Relevant identified uses of the substance or mixture and uses advised against

Engine coolant Use of the substance/

For specific application advice see appropriate Technical Data Sheet mixture

our company representative

Manufacturer **Petromin Corporation** 

**Supplier** P.O.BOX: 1432. Jeddah 21431

Prince Sultan Road, Ayah Mall

www.petromin.com Tel: +966 12 60 8300 Fax: +966 12 608 2545

**Emergency Telephone** 

**Technical Services Department** Number Telephone: +966 12 215 7000

### Section 2. Hazard(s) identification

Classification of the Harmful if swallowed substance or mixture

**GHS** label elements:

**Hazard Pictograms:** Warning Signal word:

Harmful if swallowed. **Hazard statement:** 

**Precautionary statement:** 

Wash with plenty of water and soap thoroughly after handling. **Prevention:** 

Call a POISON CENTER or doctor/physician. Response:

IF SWALLOWED: rinse mouth.

Store locked up. Storage:

Dispose of contents/container to hazardous or special waste Disposal:

collection point.

No specific dangers known, if the regulations/notes for storage and

Other hazards which do handling are considered. not result in classification

**Product Name: Antifreeze 50%** Version#: 2.0 Page 1 of 12 Date of issue: 28/02/2019

Product code#: 5951



### Section 3. Composition and ingredient information

Substance/ mixture Mixture

Components	CAS No.	Percent
Monoethyleneglycol	107-21-1	50%
Distilled Water	Mixture	49%
Performance Additives	Mixture	1%

### Section 4. First aid measures

Description of necessary first aid measures

Eye contact May cause irritation to eyes. Rinse immediately with plenty of water fo

minutes holding the eyelids open. Seek medical attention if irritation or

symptoms persist.

Skin contact May cause irritation to skin. May cause dermatitis. Wash off immediate

plenty of soap and water. Remove contaminated clothing. Seek medic

attention if irritation or symptoms persist.

Inhalation Harmful by inhalation. Inhalation may cause nausea and vomiting. Ma

dizziness and headache. Move the exposed person to fresh air. Seek

attention.

Ingestion

Harmful if swallowed. Ingestion may cause nausea and vomiting. Inge

irritating to the respiratory tract and may cause damage to the central system. DO NOT INDUCE VOMITING. If swallowed, seek medical ad

immediately and show this container or label.

### Section 5. Fire-fighting measures

**Extinguishing media** 

Suitable extinguishing

media

Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.

Special Risks None

Special Measures Self-contained breathing apparatus. Wear protective clothing

### Section 6. Accidental release measure

Precautions for the

Environment

Do not allow product to enter drains. Prevent further spillage if safe.

**Clean-up Method** 

Absorb with inert, absorbent material. Transfer to suitable, labelled co

for disposal. Clean spillage area thoroughly with plenty of water.

**Personal Precautions** 

Ensure adequate ventilation of the working area. Wear suitable protec

equipment.

Personal Protection

Gloves and goggles or face shield

Product Name: Antifreeze 50% Version#: 2.0

Product code#: 5951 Page 2 of 12 Date of issue: 28/02/2019

### SAFETY DATA SHEET

### Section 7. Handling and storage

Precautions for safe Avoid contact with eyes and skin. Ensure adequate ventilation of the w

area. Adopt best Manual Handling considerations when handling, carr

dispensing.

**Specific conditions** Safety goggles and gloves should be used

**Precautions for safe** 

storage

handling

None

Storage condition

Keep in a cool, dry, well ventilated area. Keep containers tightly closed

Dangerous practices Not available

### Section 8. Exposure control/ Personal protection

**Control parameters:** 

Exposure Level Not available

Inhalation No specific recommendation made, but respiratory protection must be

the general level exceeds the Occupational Exposure Level (OEL). W

face mask supplied with: Gas cartridge (organic substances).

Skin Gloves

Eye Safety goggles

**9** 



Other Showers and eye-washers in the working area

Specific Hygiene measure Good work practices to minimize exposure and adoption of good Pers

Exposure Level TLV (typical base oil) = 0.016 PPM at 20°C (saturated vapor Concentr

TLV/TWA (ACGIH) = 5mg/m3 (oil mist); TLV/STEL (ACGIH) = 10mg/r

mist)

### Section 9. Physical and chemical properties

Information on basic physical and chemical propert

Appearance:

Physical state: Liquid
Color: Green
Specific Gravity (at 15°C): 1.065 g/cm3
Equilibrium Boiling Point 107 °C
Explosive Properties: Not available

Oxidizing Properties: Not available
Freezing Point: -37 °C

Freezing Point: -37 °C pH value 8.29 Solubility in Water Soluble

### Section 10. Stability and reactivity

Product Name: Antifreeze 50%

Product code#: 5951

Page 3 of 12

Date of issue: 28/02/2019



Reactivity Stable under recommended transport storage conditions

Chemical stability Stable under normal temperature pressures

Polymerization Risk Not available

Materials to Avoid Strong oxidants react with oils and organic materials

Hazardous Not available

**Decomposition products** 

Condition to Avoid Exposure to open flames

### Section 11. Toxicological information

Routes of Exposure Contact with skin, eyes and inhalation. Ingestion is not frequent.

Acute and chronic Effects No malignant acute effects are known. Chronic effects due to repeate

exposures are irritation, dermatitis and acne

Carcinogenicity Not available Reproductive Toxicity No evidences

Medical Conditions which Respiratory tract deficiencies and dermatological problems

increase Hazard to

**Exposure** 

### **Section 12. Ecological information**

**Pollutant Potential:** 

Persistence and Elimination information:

Degradability > 70 % DOC reduction (28 d) (OECD 301 A (new version)) Readily

Mobility/Bioaccumulative Bioaccumulation potential:

Potential Accumulation in organisms is not to be expected.

Volatility: The substance will not evaporate into the atmosphere from t

surface.

Adsorption in soil: Adsorption to solid soil phase is not expected.

Eco toxicological Effect: Dangerous for aquatic life in high concentrations (spills).

### Section 13. Disposal consideration

Disposal Methods Must be disposed of or incinerated in accordance with local regulation (surplus)

Disposal (waste) Only in specific prepared and controlled areas. Avoid releasing oils to

because they can destroy water treatment plant Microorganisms. Do r attempt to clean containers since residue is difficult to remove; dispos

safe way.

**Handling (waste)**Labeled and sealed containers. Avoid direct contact with waste oils.

### Section 14. Transport information

Special Precautions Stable at room temperature and during transport. Store in cool well ve

areas.

Product Name: Antifreeze 50%

Product code#: 5951

Page 4 of 12

Date of issue: 28/02/2019

### SAFETY DATA SHEET

UN Number Not regulated

Road (ADR)/ Rail (RID)

/River (ADNR)

Not regulated

Airline (IATA-ACAO) Not regulated

Marine (IMO-IMDG) Not regulated

Special precautions for

user

Not available

### Section 15. Regulatory information

Regulation CERCLA/SARA - Section 302 Extremely Hazardous Substances and TPQs (in po

No

Nο

This material does not contain any chemicals subject to the reporting requirements of

and 40 CFR 372.

CERCLA/SARA - Section 311/312 (Title III Hazard

**Categories**)

Acute Health:
Chronic Health:

Fire Hazard: No
Pressure Hazard: No
Reactive Hazard: No

CERCLA/SARA - Section

313 and 40 CFR 372

This material does not contain any chemicals subject to the reporting

requirements of SARA 313 and 40 CFR 372

**EPA (CERCLA)** 

Reportable Quantity (in

This material does not contain any chemicals with CERCLA Reportable

Quantities

California Proposition 65 This material does not contain any chemicals which are known to the

California to cause cancer, birth defects or other reproductive harm at concentrations that trigger the warning requirements of California Property.

Canadian This product has been classified in accordance with the hazard criteria

Controlled Products Regulations (CPR) and the MSDS contains all the information required by the Regulations. WHMIS Hazard Class: None All components are either listed on the US TSCA Inventory, or are not under TSCA. All components are either on the DSL, or are exempt fro

listing requirements

U.S. Export Control Classification Number

**National Chemical** 

**Inventories** 

EAR99

### Section 16. Other information

**History:** 

Date of Issue 28/02/2019

Product Name: Antifreeze 50%

Product code#: 5951

Page 5 of 12

Date of issue: 28/02/2019



**Revision Version** 

Version 2.0

Final

Status: Previous Issue Date

Guide to Abbreviations CAS Chemical Abstracts Service

**ACGIH** American Conference of Governmental Industrial Hygieni

**CASRN** Chemical Abstracts Service Registry Number

**CEILING** Ceiling Limit (15 minutes)

**CERCLA** The Comprehensive Environmental Response, Compens

Liability Act

**EPA** Environmental Protection Agency

IARC International Agency for Research on Cancer

LEL Lower Explosive Limit

**NE** Not Established

**NFPA** National Fire Protection Association

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

PEL Permissible Exposure Limit (OSHA)

**SARA** Superfund Amendments and Reauthorization Act

**STEL** Short Term Exposure Limit (15 minutes)

TLV Threshold Limit Value (ACGIH)
TWA Time Weighted Average (8 hours)

**UEL** Upper Explosive Limit

WHMIS Worker Hazardous Materials Information System (Canada

# Disclaimer of Expressed and implied Warranties

This information relates only to the specific material designated and m valid for such material used in combination with any other materials or process. Such information is to the best of our knowledge and belief, and reliable as of the date indicated. However no representation, war guarantee is made as to its accuracy, reliability or completeness.

It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use.

Product Name: Antifreeze 50%

Product code#: 5951

Page 6 of 12

Date of issue: 28/02/2019

### **SAFETY DATA SHEET**

or consult

Product Name: Antifreeze 50%
Product code#: 5951

Page 7 of 12

Date of issue: 28/02/2019

### **SAFETY DATA SHEET**

r 15			
ely with			
al			
y cause medical			
stion is			
nervous vice			
ntainers			
:tive			

Product Name: Antifreeze 50%
Product code#: 5951

Page 8 of 12

Date of issue: 28/02/2019

## **SAFETY DATA SHEET**

vorking ying and

J.

used if ear full

onal hygien

ration); m3 (oil

Product Name: Antifreeze 50%
Product code#: 5951

Page 9 of 12

Date of issue: 28/02/2019

### **SAFETY DATA SHEET**

;d

he water

s

sewers not e in a

entilated

Product Name: Antifreeze 50%
Product code#: 5951

Page 10 of 12

Date of issue: 28/02/2019

ounds):

SARA 302

le

State of

osition 65

a of the regulated m DSL

**Product Name: Antifreeze 50%** 

Version#: 2.0 Page 11 of 12 Product code#: 5951 Date of issue: 28/02/2019



sts

ation, and

a)

iay not be in any accurate ranty or

Product Name: Antifreeze 50%
Product code#: 5951

Page 12 of 12

Date of issue: 28/02/2019