

# **GEARLUBE EP 460**

Section 1. Identific	cation
Material name:	GEARLUBE EP 460
Product Code	5370
SDS no.	SDS 5370-1
Relevent identified uses o	f the substance or mixture and uses advised against
Use of the substance/	Gears lubricant.
mixture	For specific application advice see appropriate Technical Data Sheet or consult
	our company representative
Manufacturer	Petromin Corporation
Supplier	P.O.BOX: 1432, Jeddah 21431
	Prince Sultan Road, Ayah Mall
	www.petromin.com
	Tel: +966 12 60 8300
	Fax: +966 12 608 2545
Emergency Telephone	Technical Services Department
Number	Telephone: +966 12 215 7000

# Section 2. Hazard(s) identification

Classification of the substance or mixture	Not classified
GHS label elements:	
Hazard Pictograms:	No hazard pictogram is used
Signal word:	No signal word is used
Hazard statement:	Not applicable
Precautionary statement:	
Prevention:	Not applicable
Response:	Not applicable
Storage:	Not applicable
Disposal:	Not applicable
Other hazards which do not result in classification	Not applicable



## Section 3. Composition and ingredient information

#### Substance/ mixture Mixture

Comopnents	CAS No.	Percent
Hydrotreated heavy paraffinic	64742-54-7	88-94%
Performance Additives	Mixture	6-12%

#### Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure through
Skin contact	rinsing. Check and remove any contact lenses. Get medical attention No specific first aid measures are required. As a percuation, remove clothing and shoes if contaminated. To remove the material from skin, use soap and water.
Inhalation	If inhaled, remove the person to fresh air. Get medical attention if symptoms
Inegstion	Do not induce vomiting. As a precaution, get medical advice.
Symptoms caused by exposure	Not available
Special Treatment	No special treatment

## Section 5. Fire-fighting measures

#### **Dextinguishing media**

Suitable extinuishing media In case of fire, use Foams, dry chemicals, CO2, nylons and powders		
unsuitable extinuishing media	Do not use water	
<b>Protection Equipment</b>	Heat resistent suit and gloves, Self-contained breathing apparatus	
Special Risks	None	
Special Measures	Not required	
<b>Combustion Products</b>	CO2, H2O, CO (in defect of air), nitrogen, sulfur and phosphorus oxides	

### Section 6. Accidental release measure

Precautions for the	Hazard of physical fouling to coasts, soils, etc. due to low solubility and high
Environment	viscosity of the oils. Avoid the material entering water intakes
Clean-up Method	Treat as an accidental oil spill or leak; avoid dispersion of the material with
	mechanical barriers. Remove with physical or chemical treatment
Personal Precautions	Avoid prolonged contact with contaminated clothes or with the product
Personal Protection	Gloves and goggles or face shield



# Section 7. Handling and storage

Precautions for safe handling	
General Percautions	Avoid prolonged contact and inhalation of mists and vapors
Specific conditions	Safety goggles and gloves should be used
Precautions for safe storage	
Storage condition	Containers properly labeled and sealed, placed in cool and
Incompatible materials	Strong oxidants
Dangerous practices	NP

Section 8. Exposure	e control/ Personal protection
Control paramaters:	
Exposure Level	Not avialable
Inhalation	Low vapor pressures: The product is slightly volatile at room temperature and
	does not present special risks. In presence of heated oils, wear protective
Skin	Gloves
Eye	Safety goggles
Other	Showers and eye-washers in the working area
Specific Hygiens measure	Good work practices to minimize exposure and adoption of good Personal hygien
Exposure Level	
	TLV (typical base oil) = 0.016 PPM at 20°C (saturated vapor Concentration);
	TLV/TWA (ACGIH) = 5mg/m3 (oil mist); TLV/STEL (ACGIH) = 10mg/m3 (oil mist)

# Section 9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance:	
Physical state:	Liquid
Color:	Brownish Oil
Specific Gravity (at 15°C):	0.908 (typical)
Flash point:	253 ºC
<b>Explosive Properties:</b>	NP
<b>Oxidizing Properties:</b>	NP
Water Solubility:	Insoluble (100 PPM max. H <sub>2</sub> O)
Solubility:	Organic solvents
Vapor Density:	Not avilable
Vapor Pressure:	Not avilable
Viscosity at 100°C:	30.4 cSt (typical)
Pour Point:	-9 ºC (typical)
Boiling Point:	Not avilable



### Section 10. Stability and reactivity

Reactivity	Stable under recommended transport storage conditions
Chemical stability	Stable under normal temperature pressures
Polymerization Risk	NP
Materials to Avoid	Strong oxidants react with oils and organic materials
Hazardous Decomposition products	NP
Condition to Avoid	Exposure to open flames

### Section 11. Texicological information

Routes of Exposure	Contact with skin, eyes and inhalation. Ingestion is not frequent.
Acute and chronic Effects	No malignant acute effects are known. Chronic effects due to repeated exposures are irritation, dermatitis and acne
Carcinogenicity	NP
Carcinogenicity	INF
Reporductive Toxicity	No evidences
Medical Conditions which	Respiratory tract deficiencies and dermatological problems
increase Hazard to	
Expousre	

#### Section 12. Ecological information

**Pollutant Potential:** 

Persistence and Degradability	the material is oily and viscous and floats on water. It presents a high physical fouling potential, mainly in sea-spills; by contact, destroys small acuatic organisms and makes living difficult for upper organisms, not allowing the
Mobility/Bioaccumulative Potential	it does not present bioaccumulative problems in living organisms or incidence in the tropic food chain, although it may cause long-term adverse effects in the acuatic environment, due to its high physical fouling potential
Eco toxicological Effect:	Dangerous for acuatic life in high concentrations (spills).

#### Section 13. Disposal consideration

Disposal Methods (surplus) Recycling and recovery of base oils when possible

- Disposal (waste) Only in specific prepared and controlled areas. Avoid releasing oils to sewers because they can destroy water treatment plant Microorganisms. Do not attempt to clean containers since residue is difficult to remove; dispose in a safe way.
- Handling (waste) Labeled and sealed containers. Avoid direct contact with waste oils.



# Section 14. Transport information

Special Precautions	Stable at room temperature and during transport. Store in cool well ventilated
	areas.
UN Number	Not regulated
Road (ADR)/ Rail (RID)	Not regulated
/River (ADNR)	
Airline (IATA-ACAO)	Not regulated
	Not regulated
Marine (IMO-IMDG)	Not regulated
. ,	
Special precautions for	Not avilable
user	

	CEDCI A/CADA Contin	on 302 Extramely Hazardous Substances and TDOs (in neuroda		
Regulation	<b>CERCLA/SARA - Section 302 Extremely Hazardous Substances and TPQs</b> This material does not contain any chemicals subject to the reporting requirement SARA 302 and 40 CFR 372.			
<b>CERCLA/SARA</b> - Section	Acute Health:	No		
311/312 (Title III Hazard Categories)	Chronic Health:	No		
	Fire Hazard:	No		
	Pressure Hazard:	No		
	Reactive Hazard:	No		
CERCLA/SARA - Section 313 and 40 CFR 372	This material does not contain any chemicals subject to the reporting requirements of SARA 313 and 40 CFR 372			
	requirements of SAR	A 313 dilu 40 CFN 372		
EPA (CERCLA) Reportable Quantity (in pounds)	This material does not contain any chemicals with CERCLA Reportable			
Quantity (in pounds)	Quantities			
California Proposition 65	This material does not contain any chemicals which are known to the State of			
	California to cause cancer, birth defects or other reproductive harm at concentrations that trigger the warning requirements of California Proposition			
Canadian	65 This product has bee	n classified in accordance with the hazard criteria of the		
canadian	Controlled Products Regulations (CPR) and the MSDS contains all the			
	information required by the Regulations. WHMIS Hazard Class: None			
National Chemical	All components are either listed on the US TSCA Inventory, or are not regulated			
Inventories	under TSCA. All components are either on the DSL, or are exempt from DSL			
	listing requirements			



# Section 16. Other information

**History:** 

Date of Issue Revision Version Status: Previous Issue Date	8/30/2018 Version 2.0 Final	
Guide to Abbreviations	CAS	Chemical Abstracts Service
	ACGIH	American Conference of Governmental Industrial Hygienists
	CASRN	Chemical Abstracts Service Registry Number
	CEILING	Ceiling Limit (15 minutes)
	CERCLA	The Comprehensive Environmental Response, Compensation, and Liability Act
	EPA	Environmental Protection Agency
	IARC	International Agency for Research on Cancer
	LEL	Lower Explosive Limit
	NE	Not Established
	NFPA	National Fire Protection Association
	NTP	National Toxicology Program
	OSHA	Occupational Safety and Health Administration
	PEL	Permissible Exposure Limit (OSHA)
	SARA	Superfund Amendments and Reauthorization Act
	STEL	Short Term Exposure Limit (15 minutes)
	TLV	Threshold Limit Value (ACGIH)
	TWA	Time Weighted Average (8 hours)
	UEL	Upper Explosive Limit
	WHMIS	Worker Hazardous Materials Information System (Canada)
Disclaimer of Expressed and implied Warranties	This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate	

and reliable as of the date indicated. However no representation, warranty or guarantee is made as to its accuracy, reliability or completeness.

It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use.